



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

April 27, 2008

Aleksandr Knobel
ALAC
522 East 20th Street, Suite 6E
New York, NY 10009

Work Order No: 080427002

TEL: (212) 290-6323

FAX: (212) 290-6325

RE: SCA PCB Sampling
330 Durant Ave., Staten Island ,NY

Dear Aleksandr Knobel:

Adirondack Environmental Services, Inc received 17 samples on 4/27/2008 for the analyses presented in the following report.

There were no problems with the analyses and all associated QC met EPA or laboratory specifications, except if noted.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

ELAP#: 10709

AIHA#: 100307

Tara Daniels
Laboratory Manager

Aleksandr Knobel - FAX

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-08

CLIENT: ALAC Client Sample ID: 2nd Floor,Cafeteria
 Work Order: 080427002 Collection Date: 4/26/2008
 Reference: SCA PCB Sampling / 330 Durant Ave., Staten Isl Lab Sample ID: 080427002-001
 PO#: Matrix: WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW8082 - 4/27/2008)						
Aroclor 1016	< 0.10	0.10		µg/100cm2	1	4/27/2008 9:43:17 AM
Aroclor 1221	< 0.10	0.10		µg/100cm2	1	4/27/2008 9:43:17 AM
Aroclor 1232	< 0.10	0.10		µg/100cm2	1	4/27/2008 9:43:17 AM
Aroclor 1242	< 0.10	0.10		µg/100cm2	1	4/27/2008 9:43:17 AM
Aroclor 1248	< 0.10	0.10		µg/100cm2	1	4/27/2008 9:43:17 AM
Aroclor 1254	< 0.10	0.10		µg/100cm2	1	4/27/2008 9:43:17 AM
Aroclor 1260	0.09	0.10	J	µg/100cm2	1	4/27/2008 9:43:17 AM
PCB, Total	0.09	0.10	J	µg/100cm2	1	4/27/2008 9:43:17 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-08

CLIENT: ALAC Client Sample ID: 2nd Floor, Auditorium
 Work Order: 080427002 Collection Date: 4/26/2008
 Reference: SCA PCB Sampling / 330 Durant Ave., Staten Isl Lab Sample ID: 080427002-003
 PO#: Matrix: WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW8082 - 4/27/2008)						
Aroclor 1016	< 0.10	0.10		µg/100cm2	1	4/27/2008 10:33:28 AM
Aroclor 1221	< 0.10	0.10		µg/100cm2	1	4/27/2008 10:33:28 AM
Aroclor 1232	< 0.10	0.10		µg/100cm2	1	4/27/2008 10:33:28 AM
Aroclor 1242	< 0.10	0.10		µg/100cm2	1	4/27/2008 10:33:28 AM
Aroclor 1248	0.08	0.10	J	µg/100cm2	1	4/27/2008 10:33:28 AM
Aroclor 1254	< 0.10	0.10		µg/100cm2	1	4/27/2008 10:33:28 AM
Aroclor 1260	0.1	0.10	J	µg/100cm2	1	4/27/2008 10:33:28 AM
PCB, Total	0.18	0.10		µg/100cm2	1	4/27/2008 10:33:28 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-08

CLIENT: ALAC **Client Sample ID:** 2nd Floor, Room 233
Work Order: 080427002 **Collection Date:** 4/26/2008
Reference: SCA PCB Sampling / 330 Durant Ave., Staten Isl **Lab Sample ID:** 080427002-004
PO#: **Matrix:** WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW8082 - 4/27/2008)						
Aroclor 1016	< 0.10	0.10		µg/100cm2	1	4/27/2008 10:58:49 AM
Aroclor 1221	< 0.10	0.10		µg/100cm2	1	4/27/2008 10:58:49 AM
Aroclor 1232	< 0.10	0.10		µg/100cm2	1	4/27/2008 10:58:49 AM
Aroclor 1242	< 0.10	0.10		µg/100cm2	1	4/27/2008 10:58:49 AM
Aroclor 1248	0.13	0.10		µg/100cm2	1	4/27/2008 10:58:49 AM
Aroclor 1254	< 0.10	0.10		µg/100cm2	1	4/27/2008 10:58:49 AM
Aroclor 1260	0.07	0.10	J	µg/100cm2	1	4/27/2008 10:58:49 AM
PCB, Total	0.20	0.10		µg/100cm2	1	4/27/2008 10:58:49 AM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-08

CLIENT: ALAC	Client Sample ID: 2nd Floor,Room 214
Work Order: 080427002	Collection Date: 4/26/2008
Reference: SCA PCB Sampling / 330 Durant Ave., Staten Isl	Lab Sample ID: 080427002-005
PO#:	Matrix: WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW8082 - 4/27/2008)						
Aroclor 1016	< 0.10	0.10		µg/100cm2	1	4/27/2008 11:24:05 AM
Aroclor 1221	< 0.10	0.10		µg/100cm2	1	4/27/2008 11:24:05 AM
Aroclor 1232	< 0.10	0.10		µg/100cm2	1	4/27/2008 11:24:05 AM
Aroclor 1242	< 0.10	0.10		µg/100cm2	1	4/27/2008 11:24:05 AM
Aroclor 1248	0.15	0.10		µg/100cm2	1	4/27/2008 11:24:05 AM
Aroclor 1254	< 0.10	0.10		µg/100cm2	1	4/27/2008 11:24:05 AM
Aroclor 1260	0.08	0.10	J	µg/100cm2	1	4/27/2008 11:24:05 AM
PCB, Total	0.23	0.10		µg/100cm2	1	4/27/2008 11:24:05 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-08

CLIENT: ALAC	Client Sample ID: 2nd Floor,Room 205
Work Order: 080427002	Collection Date: 4/26/2008
Reference: SCA PCB Sampling / 330 Durant Ave., Staten Isl	Lab Sample ID: 080427002-006
PO#:	Matrix: WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW8082 - 4/27/2008)						
Aroclor 1016	< 0.10	0.10		µg/100cm2	1	4/27/2008 11:48:17 AM
Aroclor 1221	< 0.10	0.10		µg/100cm2	1	4/27/2008 11:48:17 AM
Aroclor 1232	< 0.10	0.10		µg/100cm2	1	4/27/2008 11:48:17 AM
Aroclor 1242	< 0.10	0.10		µg/100cm2	1	4/27/2008 11:48:17 AM
Aroclor 1248	0.24	0.10		µg/100cm2	1	4/27/2008 11:48:17 AM
Aroclor 1254	< 0.10	0.10		µg/100cm2	1	4/27/2008 11:48:17 AM
Aroclor 1260	0.09	0.10	J	µg/100cm2	1	4/27/2008 11:48:17 AM
PCB, Total	0.33	0.10		µg/100cm2	1	4/27/2008 11:48:17 AM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-08

CLIENT: ALAC	Client Sample ID: 2nd Floor,Room 202
Work Order: 080427002	Collection Date: 4/26/2008
Reference: SCA PCB Sampling / 330 Durant Ave., Staten Isl	Lab Sample ID: 080427002-007
PO#:	Matrix: WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW8082 - 4/27/2008)						
Aroclor 1016	< 2.0	2.0		µg/100cm2	20	4/27/2008 5:15:29 PM
Aroclor 1221	< 2.0	2.0		µg/100cm2	20	4/27/2008 5:15:29 PM
Aroclor 1232	< 2.0	2.0		µg/100cm2	20	4/27/2008 5:15:29 PM
Aroclor 1242	< 2.0	2.0		µg/100cm2	20	4/27/2008 5:15:29 PM
Aroclor 1248	23	2.0		µg/100cm2	20	4/27/2008 5:15:29 PM
Aroclor 1254	< 2.0	2.0		µg/100cm2	20	4/27/2008 5:15:29 PM
Aroclor 1260	27	2.0		µg/100cm2	20	4/27/2008 5:15:29 PM
PCB, Total	50	2.0		µg/100cm2	20	4/27/2008 5:15:29 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-08

CLIENT:	ALAC	Client Sample ID:	1st Floor, Room 134
Work Order:	080427002	Collection Date:	4/26/2008
Reference:	SCA PCB Sampling / 330 Durant Ave., Staten Isl	Lab Sample ID:	080427002-008
PO#:		Matrix:	WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW8082 - 4/27/2008)						
Aroclor 1016	< 0.10	0.10		µg/100cm2	1	4/27/2008 12:38:33 PM
Aroclor 1221	< 0.10	0.10		µg/100cm2	1	4/27/2008 12:38:33 PM
Aroclor 1232	< 0.10	0.10		µg/100cm2	1	4/27/2008 12:38:33 PM
Aroclor 1242	< 0.10	0.10		µg/100cm2	1	4/27/2008 12:38:33 PM
Aroclor 1248	0.13	0.10		µg/100cm2	1	4/27/2008 12:38:33 PM
Aroclor 1254	< 0.10	0.10		µg/100cm2	1	4/27/2008 12:38:33 PM
Aroclor 1260	0.09	0.10	J	µg/100cm2	1	4/27/2008 12:38:33 PM
PCB, Total	0.22	0.10		µg/100cm2	1	4/27/2008 12:38:33 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentatively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-08

CLIENT: ALAC **Client Sample ID:** 1st Floor, Room 114
Work Order: 080427002 **Collection Date:** 4/26/2008
Reference: SCA PCB Sampling / 330 Durant Ave., Staten Isl **Lab Sample ID:** 080427002-009
PO#: **Matrix:** WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW8082 - 4/27/2008)						
Aroclor 1016	< 0.10	0.10		µg/100cm2	1	4/27/2008 1:03:45 PM
Aroclor 1221	< 0.10	0.10		µg/100cm2	1	4/27/2008 1:03:45 PM
Aroclor 1232	< 0.10	0.10		µg/100cm2	1	4/27/2008 1:03:45 PM
Aroclor 1242	< 0.10	0.10		µg/100cm2	1	4/27/2008 1:03:45 PM
Aroclor 1248	0.12	0.10		µg/100cm2	1	4/27/2008 1:03:45 PM
Aroclor 1254	< 0.10	0.10		µg/100cm2	1	4/27/2008 1:03:45 PM
Aroclor 1260	0.04	0.10	J	µg/100cm2	1	4/27/2008 1:03:45 PM
PCB, Total	0.17	0.10		µg/100cm2	1	4/27/2008 1:03:45 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-08

CLIENT: ALAC	Client Sample ID: 1st Floor, Room 102
Work Order: 080427002	Collection Date: 4/26/2008
Reference: SCA PCB Sampling / 330 Durant Ave., Staten Isl	Lab Sample ID: 080427002-010
PO#:	Matrix: WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW8082 - 4/27/2008)						
Aroclor 1016	< 0.10	0.10		µg/100cm2	1	4/27/2008 1:54:01 PM
Aroclor 1221	< 0.10	0.10		µg/100cm2	1	4/27/2008 1:54:01 PM
Aroclor 1232	< 0.10	0.10		µg/100cm2	1	4/27/2008 1:54:01 PM
Aroclor 1242	< 0.10	0.10		µg/100cm2	1	4/27/2008 1:54:01 PM
Aroclor 1248	0.18	0.10		µg/100cm2	1	4/27/2008 1:54:01 PM
Aroclor 1254	< 0.10	0.10		µg/100cm2	1	4/27/2008 1:54:01 PM
Aroclor 1260	0.11	0.10		µg/100cm2	1	4/27/2008 1:54:01 PM
PCB, Total	0.29	0.10		µg/100cm2	1	4/27/2008 1:54:01 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-08

CLIENT: ALAC	Client Sample ID: 1st Floor, Room 101
Work Order: 080427002	Collection Date: 4/26/2008
Reference: SCA PCB Sampling / 330 Durant Ave., Staten Isl	Lab Sample ID: 080427002-011
PO#:	Matrix: WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW8082 - 4/27/2008)						
Aroclor 1016	< 0.10	0.10		µg/100cm2	1	4/27/2008 2:19:07 PM
Aroclor 1221	< 0.10	0.10		µg/100cm2	1	4/27/2008 2:19:07 PM
Aroclor 1232	< 0.10	0.10		µg/100cm2	1	4/27/2008 2:19:07 PM
Aroclor 1242	< 0.10	0.10		µg/100cm2	1	4/27/2008 2:19:07 PM
Aroclor 1248	0.11	0.10		µg/100cm2	1	4/27/2008 2:19:07 PM
Aroclor 1254	< 0.10	0.10		µg/100cm2	1	4/27/2008 2:19:07 PM
Aroclor 1260	0.05	0.10	J	µg/100cm2	1	4/27/2008 2:19:07 PM
PCB, Total	0.17	0.10		µg/100cm2	1	4/27/2008 2:19:07 PM

Qualifiers:	ND - Not Detected at the Reporting Limit	S - Spike Recovery outside accepted recovery limits
	J - Analyte detected below quantitation limits	R - RPD outside accepted recovery limits
	B - Analyte detected in the associated Method Blank	T - Tentitively Identified Compound-Estimated Conc.
	X - Value exceeds Maximum Contaminant Level	E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-08

CLIENT: ALAC Client Sample ID: 3rd Floor, Room 337
 Work Order: 080427002 Collection Date: 4/26/2008
 Reference: SCA PCB Sampling / 330 Durant Ave., Staten Isl Lab Sample ID: 080427002-012
 PO#: Matrix: WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW8082 - 4/27/2008)						
Aroclor 1016	< 0.10	0.10		µg/100cm2	1	4/27/2008 2:44:19 PM
Aroclor 1221	< 0.10	0.10		µg/100cm2	1	4/27/2008 2:44:19 PM
Aroclor 1232	< 0.10	0.10		µg/100cm2	1	4/27/2008 2:44:19 PM
Aroclor 1242	< 0.10	0.10		µg/100cm2	1	4/27/2008 2:44:19 PM
Aroclor 1248	0.1	0.10	J	µg/100cm2	1	4/27/2008 2:44:19 PM
Aroclor 1254	< 0.10	0.10		µg/100cm2	1	4/27/2008 2:44:19 PM
Aroclor 1260	0.09	0.10	J	µg/100cm2	1	4/27/2008 2:44:19 PM
PCB, Total	0.19	0.10		µg/100cm2	1	4/27/2008 2:44:19 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentatively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-08

CLIENT: ALAC **Client Sample ID:** 3rd Floor, Room 324
Work Order: 080427002 **Collection Date:** 4/26/2008
Reference: SCA PCB Sampling / 330 Durant Ave., Staten Isl **Lab Sample ID:** 080427002-013
PO#: **Matrix:** WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW8082 - 4/27/2008)						
Aroclor 1016	< 0.10	0.10		µg/100cm2	1	4/27/2008 3:09:29 PM
Aroclor 1221	< 0.10	0.10		µg/100cm2	1	4/27/2008 3:09:29 PM
Aroclor 1232	< 0.10	0.10		µg/100cm2	1	4/27/2008 3:09:29 PM
Aroclor 1242	< 0.10	0.10		µg/100cm2	1	4/27/2008 3:09:29 PM
Aroclor 1248	0.19	0.10		µg/100cm2	1	4/27/2008 3:09:29 PM
Aroclor 1254	< 0.10	0.10		µg/100cm2	1	4/27/2008 3:09:29 PM
Aroclor 1260	0.07	0.10	J	µg/100cm2	1	4/27/2008 3:09:29 PM
PCB, Total	0.26	0.10		µg/100cm2	1	4/27/2008 3:09:29 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-08

CLIENT: ALAC Client Sample ID: 3rd Floor, Room 306
 Work Order: 080427002 Collection Date: 4/26/2008
 Reference: SCA PCB Sampling / 330 Durant Ave., Staten Isl Lab Sample ID: 080427002-014
 PO#: Matrix: WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW8082 - 4/27/2008)						
Aroclor 1016	< 0.10	0.10		µg/100cm2	1	4/27/2008 3:34:40 PM
Aroclor 1221	< 0.10	0.10		µg/100cm2	1	4/27/2008 3:34:40 PM
Aroclor 1232	< 0.10	0.10		µg/100cm2	1	4/27/2008 3:34:40 PM
Aroclor 1242	< 0.10	0.10		µg/100cm2	1	4/27/2008 3:34:40 PM
Aroclor 1248	0.12	0.10		µg/100cm2	1	4/27/2008 3:34:40 PM
Aroclor 1254	< 0.10	0.10		µg/100cm2	1	4/27/2008 3:34:40 PM
Aroclor 1260	0.03	0.10	J	µg/100cm2	1	4/27/2008 3:34:40 PM
PCB, Total	0.15	0.10		µg/100cm2	1	4/27/2008 3:34:40 PM

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 X - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 T - Tentitively Identified Compound-Estimated Conc.
 E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-08

CLIENT: ALAC Client Sample ID: 3rd Floor, Room 305
 Work Order: 080427002 Collection Date: 4/26/2008
 Reference: SCA PCB Sampling / 330 Durant Ave., Staten Isl Lab Sample ID: 080427002-015
 PO#: Matrix: WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW8082 - 4/27/2008)						
Aroclor 1016	< 0.10	0.10		µg/100cm2	1	4/27/2008 3:59:54 PM
Aroclor 1221	< 0.10	0.10		µg/100cm2	1	4/27/2008 3:59:54 PM
Aroclor 1232	< 0.10	0.10		µg/100cm2	1	4/27/2008 3:59:54 PM
Aroclor 1242	< 0.10	0.10		µg/100cm2	1	4/27/2008 3:59:54 PM
Aroclor 1248	0.09	0.10	J	µg/100cm2	1	4/27/2008 3:59:54 PM
Aroclor 1254	< 0.10	0.10		µg/100cm2	1	4/27/2008 3:59:54 PM
Aroclor 1260	0.07	0.10	J	µg/100cm2	1	4/27/2008 3:59:54 PM
PCB, Total	0.15	0.10		µg/100cm2	1	4/27/2008 3:59:54 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-08

CLIENT: ALAC **Client Sample ID:** Blank
Work Order: 080427002 **Collection Date:** 4/26/2008
Reference: SCA PCB Sampling / 330 Durant Ave., Staten Isl **Lab Sample ID:** 080427002-016
PO#: **Matrix:** WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW8082 - 4/27/2008)						
Aroclor 1016	< 0.10	0.10		µg/100cm2	1	4/27/2008 4:25:04 PM
Aroclor 1221	< 0.10	0.10		µg/100cm2	1	4/27/2008 4:25:04 PM
Aroclor 1232	< 0.10	0.10		µg/100cm2	1	4/27/2008 4:25:04 PM
Aroclor 1242	< 0.10	0.10		µg/100cm2	1	4/27/2008 4:25:04 PM
Aroclor 1248	< 0.10	0.10		µg/100cm2	1	4/27/2008 4:25:04 PM
Aroclor 1254	< 0.10	0.10		µg/100cm2	1	4/27/2008 4:25:04 PM
Aroclor 1260	< 0.10	0.10		µg/100cm2	1	4/27/2008 4:25:04 PM
PCB, Total	< 0.10	0.10		µg/100cm2	1	4/27/2008 4:25:04 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
X - Value exceeds Maximum Contaminant Level E - Value above quantitation range

Adirondack Environmental Services, Inc

Date: 27-Apr-08

CLIENT: ALAC Client Sample ID: Blank
 Work Order: 080427002 Collection Date: 4/26/2008
 Reference: SCA PCB Sampling / 330 Durant Ave., Staten Isl Lab Sample ID: 080427002-017
 PO#: Matrix: WIPE

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
POLYCHLORINATED BIPHENYLS SW8082						Analyst: KF
(Prep: SW8082 - 4/27/2008)						
Aroclor 1016	< 0.10	0.10		µg/100cm2	1	4/27/2008 4:50:11 PM
Aroclor 1221	< 0.10	0.10		µg/100cm2	1	4/27/2008 4:50:11 PM
Aroclor 1232	< 0.10	0.10		µg/100cm2	1	4/27/2008 4:50:11 PM
Aroclor 1242	< 0.10	0.10		µg/100cm2	1	4/27/2008 4:50:11 PM
Aroclor 1248	< 0.10	0.10		µg/100cm2	1	4/27/2008 4:50:11 PM
Aroclor 1254	< 0.10	0.10		µg/100cm2	1	4/27/2008 4:50:11 PM
Aroclor 1260	< 0.10	0.10		µg/100cm2	1	4/27/2008 4:50:11 PM
PCB, Total	< 0.10	0.10		µg/100cm2	1	4/27/2008 4:50:11 PM

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits
 B - Analyte detected in the associated Method Blank T - Tentitively Identified Compound-Estimated Conc.
 X - Value exceeds Maximum Contaminant Level E - Value above quantitation range



WBE Certified
www.CEScenter.com

Creative Environment Solutions Corporation

One Penn Plaza • 7th Floor • New York • NY 10119

(212) 290 - 6323 • FAX (212) 290 - 6325

SAMPLING CHAIN-OF-CUSTODY FORM

PAGE (1) OF (2)

Date Collected: <i>04/26/08</i>	Project Name: SCA PCB Sampling @ PS53R	Client: NYC SCA
Collected by: <i>T. Lintano</i>	Location: 330 Durant Avenue, Staten Island, NY 10301	LLW#:
		SCA Job#:
		CES Project/Task:

Task / Activity: Inspection, Repair/ Interim Control,
 Construction/Alteration/Demolition, Other: _____

Matrix: S = SOIL; L = LIQUID; A = AIR; SL = SLUDGE; W = WIPE; P = PAINT CHIPS; B = BULK MATERIAL

Laboratory: Adirondack Env.; ELAP No 10709 Analysis Requested: As Indicated
 York Labs; ELAP No 10854
 JMS; ELAP No 11715

Sample ID	Matrix	Sample Location / Description	Analysis Requested/Results:				
			Asbestos (FLM)	PCB EPA 8082	Mercury	Pb,Cr,Cd,As	SVOC - 4 Phthalates
01	W	2 nd Floor, Cafeteria - 080427002 - 1		X			
02	W	2 nd Floor, Gymnasium - 2		X			
03	W	2 nd Floor, Auditorium - 3		X			
04	W	2 nd Floor, Room 233 - 4		X			
05	W	2 nd Floor, Room 214 - 5		X			
06	W	2 nd Floor, Room 205 - 6		X			
07	W	2 nd Floor, Room 202 - 7		X			
08	W	1 st Floor, Room 134 - 8		X			
09	W	1 st Floor, Room 114 - 9		X			
10	W	1 st Floor, Room 102 - 10		X			
11	W	1 st Floor, Room 101 - 11		X			
12	W	3 rd Floor, Room 337 - 12		X			
13	W	3 rd Floor, Room 324 - 13		X			
14	W	3 rd Floor, Room 306 - 14		X			
15	W	3 rd Floor, Room 305 - 15		X			
16	W	Blank - 16		X			

Turn-Around-Time: Immediate, 4 Hr, 24 Hr, 48 Hr, 72 Hr Results to: X Fax: (212) 290-6325

3-5 Days, Standard, Other: _____

X E-mail: CESLabResults@aol.com

Special Instructions: _____

Other: _____

Site		Laboratory	
Relinquished By	Delivery Method	Received By	Date
<i>G. Pimental/SE</i>	<i>by hand</i>	<i>JL Smully</i>	<i>4/27/08 7:00 AM</i>

